




## Venezia320

Digital Signage indoor kiosk



- ✓ Elegant and not bulky thanks to a very thin design
- ✓ Large portrait 32" LCD display with LED backlight
- ✓ Solid painted steel structure
- ✓ Integrated speakers
- ✓ LAN & WiFi connectivity
- ✓ High processing capacity thanks to Intel® Core™ processors



# Venezia320

Digital Signage indoor kiosk



<b>System</b>	<b>Processor</b>	Socket LGA 1151 Intel® Core™ 6 <sup>th</sup> & 7 <sup>th</sup> gen. Intel® Core™ i7 / Core™ i5 Core™ i3 / Pentium
	<b>Chipset</b>	Intel® H110 Express Chipset
	<b>Expansion slots</b>	1 x PCI Express 3.0 x16 low profile, half length
<b>Memoria</b>	<b>Max expansion</b>	32GB
	<b>Type</b>	DDR4-2133 UDIMM 288pin
	<b>Size</b>	Max size for 1 module : 4GB, 8GB, 16GB
<b>Internal I/O interface*</b>	<b>Slot</b>	2
	<b>Note</b>	*Some I/O interfaces are used by the internal devices
	<b>Serial</b>	1 x RS232 opzionale
	<b>LPT</b>	N/A
	<b>USB</b>	2 x USB 2.0 2 x USB 3.0 1 x USB 2.0 optional
	<b>Mouse/keyboard</b>	1 x PS/2
	<b>Audio</b>	3 x Jack 3.5mm (Line In, Line Out, Mic In)
	<b>Video</b>	1 x HDMI 1 x DP (Display Port)
<b>External I/O interface</b>	<b>LAN</b>	1 x RJ45
	<b>USB</b>	2 x USB 2.0
<b>Storage</b>	<b>Integrated SATA ctrl</b>	4 x SATA 3 6Gb/s
	<b>HDD/SSD bay</b>	1 x 2.5"
<b>Video subsystem</b>	<b>Integrated video adapter</b>	Intel® HD Graphics Features depend on installed CPU
	<b>LCD Display</b>	32.0" a-Si TFT
	<b>Viewing angle</b>	H: 170° V: 170°
	<b>Response time</b>	8ms
	<b>Brightness</b>	500 cd/m <sup>2</sup>
	<b>Contrast</b>	3000:1
	<b>Reccomended res.</b>	1080 x 1920
<b>Audio subsystem</b>	<b>Integrated audio adapter</b>	7.1 High Definition Audio (Codec Realtek® ALC887)
	<b>Speaker</b>	Mechanical predisposition for two integrated speakers
<b>Network interface</b>	<b>Integrated network adapter</b>	1 x 10/100/1000 Gigabit Ethernet Controller
	<b>WiFi (optional)</b>	1 x Wireless High Gain N 150Mbps USB IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
<b>Power</b>	<b>Standard PSU</b>	AC INPUT: 100-240V, 60-50Hz
<b>Software</b>	<b>Supported operating system</b>	Microsoft Windows 7 64bit Microsoft Windows 8.1 64bit Microsoft Windows 10 64bit

<b>Mechanical features</b>	<b>Colour</b>	Standard: White wrinkled (RAL 9010) Optional: Different colors on request, subject to availability and minimum purchase quantity is required.
	<b>L x H x D</b>	548mm x 1710mm x 345mm
	<b>Weight</b>	Estimated 50Kg for medium configuration
<b>Environment</b>	<b>Operating temp</b>	From + 5°C to + 35°C
	<b>Non operating temp.</b>	From -30°C to +70°C
	<b>RH</b>	95% @ 30°C non cond.
<b>Certifications</b>	<b>Reference Marks</b>	CE, RoHS
	<b>Directive</b>	Built according to EU Directive 2014/30/EU(EMCD), 2014/35/EU(LVD) or 2014/53/UE (RED) for WiFi equipped product. & 2011/65/EU(RoHS)
<b>Company certifications</b>	<b>Reference standards</b>	UNI EN ISO 9001
<b>Ordering code</b>	<b>CNTOTEM32P-B-17-02</b>	Totem "Venezia320", LCD 32", H110, White RAL9010
<b>Optional</b>	<b>EKIT-17-000009</b>	Internal speakers kit
	<b>EKIT-IND-WIFI-005</b>	Kit WiFi SLTP01, 802.11 b/g/n, 150 Mbps High gain
	<b>Doc. code</b>	ZST-4292-00000022-00



[www.intercomp.it](http://www.intercomp.it)

Intercomp S.p.A.  
Via della Scienza 27  
37139, Verona, Italia  
Tel +39 045-8378411  
Fax +39 045-8510539



azienda con sistema di gestione per la qualità certificato



**ISO 9001:2008**

[intercomp@intercomp.it](mailto:intercomp@intercomp.it)

The product may differ from the images shown. All names and registered trademarks are legitimate owners. All features and specifications may be changed without prior notice.  
Last update 27/12/2017

# Venezia320

Digital Signage indoor kiosk



All dimensions are expressed in millimeters (mm)